

# Graphics Vision

(M) Sdn. Bhd. (175178-V)

117, Jalan Aminuddin Baki, Taman Tun Dr Ismail, 60000 Kuala Lumpur.  
Tel: 03-7727 1868 Fax: 03-7729 1868 email: info@graphics-vision.com  
Website: www.graphics-vision.com, www.datavideo.com

## Datavideo Product Price List - 1st September 2018

No	Product Models	Description	Standard Order Lead Time	SRP (RM)
<b>MOBILE VIDEO STUDIO (MVS)</b>				
1	<b>OBV-2850-CCU-12</b> (c/w 4 Cameras CCU & 4x 100m Multi-core cable)	<b>12-CH HD/SD-SDI/HDMI, 2x OBV-Rack with CCU Solution (2x 25RU Mobile Rack System w trolley, folding table, rack base)</b> Integration of SE-2850-12, 1x TLM-170PR & 1x TLM-170LR (7RU 17.3" HD Monitor), 1x ITC-100 (8-ways Intercom c/w 4 sets ITC-100SL + ITC Patch panel), 1x HDR-70 (HD/SD HDD Recorder c/w 2x 1TB USB-HDD), 1x VSM-100 (1-CH SDI Vector Scope), 1x AD-200 (6-CH Audio Mixer/Delay Box), 1x MCU-200MU, 1x CCU-100 Multi-Camera Control Unit (c/w 4 set of AD-2, RMC-240 & HP-3), 4x TLM-430 & Ball-head (for Return Video), 4x CR-49 (100m CCU Cable w reel), 1x DAC-50S, 2x VP-597 (2-6 SDI DA), 2x DAC-70, 1x RMC-2, 1x PD-2A (DC Power Distributor), 1x PD-6 (Camera Power center), AV Patch panels & accessories.	1 to 2 weeks	<b>253,000</b>
2	<b>MS-2850-CCU-12</b> (c/w 4 Cameras CCU & 4x 100m Multi-core cable)	<b>12-CH HD/SD-SDI/HDMI, Mobile Video Studio with CCU Solution (1x 8RU Mobile Rack System w/o castors)</b> Integration of SE-2850-12, 1x TLM-170PM (1RU 17.3" HD Monitor), 1x ITC-100 (8-ways Intercom c/w 4 sets ITC-100SL w Tally Light & 20m ITC cable + ITC Patch panel), 1x HDR-70 (HD/SD HDD Recorder c/w 2x 1TB USB-HDD), 1x VSM-100 (1-CH SDI Vector Scope), 1x AD-100M (1-CH Audio Delay Box), 1x MCU-200MU, 1x CCU-100 Multi-core Camera Control Unit (c/w 4 set of AD 2, RMC-240 & HP-3), 1x DAC-50s & MB-5 (HD-SDI to CV), 4x TLM-430 & Ball-head, 4x CR-49 (100m CCU Cable w/ reel), 1x PD-2A (DC Power Distributor), 1x PD-6 (Camera Power center), AV Patch panels & accessories.	1 to 2 weeks	<b>200,000</b>
3	<b>MS-2850A-8</b>	<b>8-CH HD/SD-SDI/HDMI, Mobile Video Studio (19" Rack, 8RU Anti-Shock Aluminium Fly Case)</b> Integration of SE-2850-8 (8-CH, upgradable to 12-CH), TLM-170LM (1RU Pull-out 17.3" HD LED Monitor), ITC-100 (8-way Intercom c/w 4 sets of ITC-100SL with Tally light & 20m ITC cable) with ITC Patch panel, HDR-70 HD HDD Recorder (c/w 2x 1TB USB-HDD), AD-100M (17 frame audio delay box), 1x PD-2A (Power Distributor), AV Patch panels & accessories.	Shipping	<b>82,700</b>
4	<b>MS-2850B-8</b>	<b>8-CH HD/SD-SDI/HDMI, Mobile Video Studio (19" Rack, 8RU Anti-Shock Aluminium Fly Case)</b> MS-2850A-8 + VSM-100 (VectorScope), RP-64 (8-CH Return Video) & PD-6 (8-CH XLR Camera Power System).	1 to 2 weeks	<b>105,000</b>
5	<b>HS-3200</b>	<b>12-CH HD Portable Video Streaming Studio (1080p60)</b> Integration of 12-CH Input Switcher (8 xSDI + 4 xHDMI with embedded audio), Output 5 x SDI + 4x HDMI), 17" HD Multiviewer Monitor, H.264 Media Streaming, recording on SD Card, Video effects include Chroma/Luma Key, DSK, DVE, Wipe, Still Stores, Logo Insertion, and up to 8 x PIP w/Flex Source supported	ETA Q4 2018 / Q1 2019	<b>42,500</b>
6	<b>HS-2850-8</b>	<b>8-CH HD/SD-SDI/HDMI, Portable Video Studio (less than 9kg)</b> Integration of SE-2850-8 (8-CH, can be upgradable to 12-CH), 17" HD Multiviewer monitor, Intercom set (c/w 4 sets of ITC-100SL with Tally light and 20m ITC cable)	Shipping	<b>37,500</b>
7	<b>HS-2850-12</b>	<b>12-CH HD/SD-SDI/HDMI, Portable Video Studio (less than 9kg)</b> Integration of SE-2850-12 (12-CH), 17" HD Multiviewer monitor, Intercom set (c/w 4 sets of ITC-100SL w Tally light & 20m ITC cable)	Shipping	<b>41,200</b>
8	<b>HS-2200</b>	<b>6-CH HD-SDI, HDMI Portable Video Studio with Portable CG interface (less than 9kg)</b> Integration of SE-2200, 17" HD Multiviewer monitor, 8-CH Intercom set (c/w 4 sets of ITC-100SL with Tally light and 20m ITC cable)	Shipping	<b>30,000</b>
9	<b>HS-1500T</b>	<b>4-CH HDBaseT Portable Video Studio (HD/SD) (Less than 7kg)</b> Support 3-CH HDBaseT + 1-CH HDMI input, 3-CH HDMI output, 2-CH Audio Embedded, Tally Out, 1-CH USK & 17.3" HD Multiviewer Monitor. (w/o PTC-150TL)	Shipping	<b>25,000</b>
10	<b>HS-1300</b>	<b>6-CH HD-SDI, HDMI Portable Video Studio (less than 9kg)</b> Integration of SE-1200MU, 17" HD Multiviewer monitor, NVS-25 Streaming & Recording Box	Shipping	<b>19,300</b>
11	<b>GO 650 Studio</b>	<b>GO 650 Wedding Live Production Studio Kit</b> Integration of SE-650, TLM-102, HDR-1 & NVS-25 in trolley carrying case	Shipping	<b>23,800</b>
12	<b>GO KMU Studio</b>	<b>GO KMU 4K Portable Live Production Studio Kit</b> Integration of KMU-100, TLM-102, NVS-30, AD-100M & RMC-185 in trolley carrying case	1 to 2 weeks	<b>50,000</b>
<b>VIDEO SWITCHER / MIXER</b>				
1	<b>KMU-100</b>	<b>4K Multicamera Processor (UHD) (without RMC-185 Control Panel)</b> UltraHD to HD Multiviewer Processor with dual 4K / UltraHD inputs and 8x HD outputs.	Shipping	<b>27,600</b>
2	<b>RMC-185</b>	<b>Control Panel for KMU-100</b>	Shipping	<b>5,260</b>
3	<b>SE-3200</b>	<b>12-CH HD Portable Video Streaming Switcher (1080p60)</b> 12-CH Input Switcher (8 xSDI + 4 xHDMI with embedded audio), Output 5 x SDI + 4x HDMI), Video effects include Chroma/Luma Key, DSK, DVE, Wipe, Still Stores, Logo Insertion, and up to 8 x PIP w/Flex Source supported	ETA Q4 2018 / Q1 2019	<b>27,500</b>
4	<b>SE-2850-12</b>	<b>12-CH Input HD/SD Switcher, HD/SD-SDI/HDMI</b> Supports up to 12-CH HD/SD-SDI, 3-CH HDMI inputs configurable, 3x SDI with embedded audio outputs for AUX, PGM, PVW or PGM clean out, 2-CH multi-viewer monitoring outputs, 4-CH Balanced XLR audio inputs, Two DSK, Logo & PIP. (SE-2850-12 = SE-2850-8 + 2850-10)	Shipping	<b>26,300</b>
5	<b>SE-2850-8</b>	<b>8-CH Input HD/SD Switcher, HD/SD-SDI/HDMI (upgradable to 12-CH)</b> Supports up to 8-CH HD/SD SDI, 2-CH HDMI inputs configurable, 3x SDI with embedded audio outputs for AUX, PGM, PVW or PGM clean out, 2-CH multi-viewer monitoring outputs, 4-CH Balanced XLR audio inputs, Two DSK, Logo & PIP.	Shipping	<b>22,800</b>
6	<b>2850-10</b>	<b>4-CH HD/SD-SDI/HDMI Inputs expansion card for SE-2850</b> 4-CH HD/SD-SDI/HDMI inputs card for SE/HS/MS-2850-8 to upgrade to 12-CH version.	Shipping	<b>3,500</b>
7	<b>SE-2200</b>	<b>6-CH HD Digital Video Switcher, HD-SDI, HDMI</b> Supports selectable of 6-CH HD-SD, 2-CH HDMI input, cross point (XPT). Outputs of 6-CH SDI for AUX, PGM, PVW, PGM Clean, Title or Multi-viewer, 2-CH HDMI multi-viewer, Two PIP display, DSK and Luma-Key, built-in TC-200 CG interface.	Shipping	<b>15,000</b>
8	<b>SE-1200RM (SE-1200MU + RMC-260)</b>	<b>6-CH HD Video Switcher with Control Panel (1RU rack mountable SE-1200MU + RMC-260 Control Panel)</b>	Shipping	<b>10,000</b>
9	<b>SE-1200MU</b>	<b>6-CH HD Video Switcher (1RU rack mountable swticher, c/w PC remote control utility)</b> Supports 4-CH HD-SDI, 2-CH HDMI inputs, 2-CH HD-SDI & 2-CH HDMI outputs.	Shipping	<b>7,500</b>
10	<b>RMC-260</b>	<b>Control Panel for SE-1200MU</b>	Shipping	<b>2,500</b>
11	<b>SE-650</b>	<b>4-CH HD Video Switcher, HD-SDI/HDMI *** Available with limited qty, order under allocation ***</b> Supports 2-CH HD-SDI, 2-CH HDMI inputs, 1-CH HD-SDI & 2-CH HDMI outputs, 1x DSK, 6-CH Audio Mixer.	Shipping	<b>6,000</b>
12	<b>SE-500HD</b>	<b>4-CH HD/SD Video Switcher</b> 4-CH HDMI inputs, 2-CH HDMI outputs, built-in Luma-key, PIP & Split function.	Shipping	<b>5,640</b>
13	<b>SE-500MU</b>	<b>4-CH HD Video Switcher (Main Unit without Keyboard)</b> App Download available for Apple iOS, Apple Mac, Google Play Store.	2 to 4 weeks	<b>5,640</b>
14	<b>SE-500</b>	<b>4-CH SD Video Switcher</b> 4-CH CV & Y/C (S-video) input, CV/S-video/YUV outputs & Quad Preview monitoring, built in 4-CH Audio Mixer	Shipping	<b>4,750</b>
15	<b>TWP-10</b>	<b>TV wall Processor 1x4</b>	Shipping	<b>8,750</b>
16	<b>CB-42</b>	<b>Tally cable for SE-500/600/900 to ITC-100, D-Sub 15pin</b>	Shipping	<b>60</b>
17	<b>CB-59</b>	<b>Tally cable for SE-700/SE-1200 to ITC-100, D-Sub 15pin</b>	Shipping	<b>80</b>
18	<b>CB-28</b>	<b>Tally cable for SE-2850/SE-2200 to ITC and AM-100 (D-Sub 25pin (M) to DB15P (M) x4; L: 1m)</b>	Shipping	<b>110</b>

No	Product Models	Description	Standard Order Lead Time	SRP (RM)
<b>DV-03- STREAMING SERVER / VIDEO RECORDER</b>				
1	<b>DVS-200</b> Streaming server software one lifetime license, Cloud installation, one year remote support	<b>Multi-Channels Video Streaming Server Software for deployment in cloud installation</b> <ul style="list-style-type: none"> <li>Media Trans-coding, Decoding, Recording and Streaming Platform</li> <li>Pull in RTMP, RTSP, HTTP, UDP and TCP; Push out RTMP, UDP unicast and multicast</li> <li>Stream directly to devices with our white labelled web player, eg. Datavideo NVD-30/35</li> <li>Stream to content delivery networks like Youtube, Facebook Live and more</li> <li>Record streams in DVS-200 for later on-demand playback</li> <li>Run a multi-channel on-demand IPTV network</li> </ul> <b>Streaming server software one-lifetime license, Cloud installation, One year remote support</b>	Shipping	<b>12,000</b>
2	<b>NVS-200</b> 2RU Streaming Server PC System, one-lifetime license, Cloud installation, one year remote support	<b>Multi-Channel Video Streaming Server PC on local network</b> <ul style="list-style-type: none"> <li>Media Trans-coding, Decoding, Recording and Streaming Platform</li> <li>Pull in RTMP, RTSP, HTTP, UDP and TCP; Push out RTMP, UDP unicast and multicast</li> <li>Stream directly to devices with our white labelled web player, eg. Datavideo NVD-30/35</li> <li>Stream to content delivery networks like Youtube, Facebook Live and more</li> <li>Record streams in DVS-200 for later on-demand playback</li> <li>Run a multi-channel on-demand IPTV network</li> </ul> <b>2RU Streaming Server PC System, One lifetime license, Cloud installation, One year remote support</b>	1 to 2 weeks	<b>28,500</b>
3	<b>NVS-200-4SDI/HDMI</b> 2RU Streaming server PC system with 4-CH SDI or HDMI inputs encoder card. One-lifetime license, Cloud installation, one year remote support	<b>Multi-Channel Video Streaming Server PC on local network Built in 4-CH SDI or 4-CH HDMI input hardware encoder card</b> <ul style="list-style-type: none"> <li>Media Encoding,Trans-coding, Decoding, Recording and Streaming Platform</li> <li>Pull in RTMP, RTSP, HTTP, UDP and TCP; Push out RTMP, UDP unicast and multicast</li> <li>Stream directly to devices with our white labelled web player, eg. Datavideo NVD-30/35</li> <li>Stream to content delivery networks like Youtube, Facebook Live and more</li> <li>Record streams in DVS-200 for later on-demand playback</li> <li>Run a multi-channel on-demand IPTV network</li> </ul> <b>2RU Streaming server PC system with 4-CH SDI or 4-CH HDMI input encoder card. One lifetime license, Cloud installation, One year remote support</b>	1 to 2 weeks	<b>35,400</b>
4	<b>NVS-200-8SDI/HDMI</b> 2RU Streaming server PC system with 8-CH SDI or HDMI inputs encoder card. One-lifetime license, Cloud installation, one year remote support	<b>Multi-Channel Video Streaming Server PC on local network Built in 8-CH SDI or 8-CH HDMI input hardware encoder card</b> <ul style="list-style-type: none"> <li>Media Encoding,Trans-coding, Decoding, Recording and Streaming Platform</li> <li>Pull in RTMP, RTSP, HTTP, UDP and TCP; Push out RTMP, UDP unicast and multicast</li> <li>Stream directly to devices with our white labelled web player, eg. Datavideo NVD-30/35</li> <li>Stream to content delivery networks like Youtube, Facebook Live and more</li> <li>Record streams in DVS-200 for later on-demand playback</li> <li>Run a multi-channel on-demand IPTV network</li> </ul> <b>2RU Streaming server PC system with 8-CH SDI or 8-CH HDMI input encoder card. One lifetime license, Cloud installation, One year remote support</b>	1 to 2 weeks	<b>42,200</b>
5	<b>NVS-25</b>	<b>H.264 Video Streaming Server &amp; recorder</b> Network Video Streaming Server (H.264), supports HD/SD-SDI, HDMI, CVBS inputs, 2-CH XLR/RCA audio in.	Shipping	<b>4,200</b>
6	<b>NVS-30</b>	<b>H.264 Video Streaming Server &amp; recorder</b> Network Video Streaming Server (H.264), supports HDMI input/output. Up to 20Mbps streaming & 30Mbps recording format, 2-CH AAC Audio.	Shipping	<b>4,380</b>
7	<b>NVS-40</b>	<b>Multi-Channel H.264 Video Streaming Encoder and Recorder</b> <ul style="list-style-type: none"> <li>5-CH Video streaming Encoder up to 30Mbps on each Channel</li> <li>5-CH H.264 Recorder (4 inputs, one PGM) on to Removable HDD/SSD</li> <li>Support video bit rate up to 30Mbps on each encoder and recorder</li> <li>Support multiple video resolutions up to 1080p 50/60 for each channel</li> <li>Built in video scale, de-interlace and simple CG for 4 layer text/logo</li> <li>PGM monitor output, selectable Quad, PIP, POP, PbP layout</li> </ul>	ETA Q4 2018 / Q1 2019	<b>9,500</b>
8	<b>NVD-30</b>	<b>3G Network IP Video Decoder with HDMI, Composite and audio outputs.</b> Supports RTP/RTSP, RTMP, UDP, TCP, HTTP, HLS & MPEG-TS, output video at resolutions up to 1080p60	Shipping	<b>2,500</b>
9	<b>NVD-35</b>	<b>3G Network IP Video Decoder with 3G/HD/SD-SDI, Composite and audio outputs.</b> Supports RTP/RTSP, RTMP, UDP, TCP, HTTP, HLS & MPEG-TS, output video at resolutions up to 1080p60	Shipping	<b>3,380</b>
10	<b>HDR-1</b>	<b>H.264 USB Media Player/Recorder</b> HDMI I/O, H.264 USB Recorder up to 20Mbps, MPEG4 file format (up to 1080P30).	Shipping	<b>2,880</b>
11	<b>HDR-60-HDK</b>	<b>HD/SD-SDI Hard Drive Video Recorder, 2RU half rack size</b> HD/SD-SDI, Time code & Audio Interface, SDI/HDMI outputs. Supports up to 120Mbps I-frame recording, 4:2:2 sampling, record MXF file format. <b>*Comes with 2xHE-1 1TB Media Cartridge.</b> (Each cartridge support 10 to 40 hours HD/SD recording time)	Shipping	<b>11,300</b>
12	<b>HDR-70-HDK</b>	<b>HD/SD-SDI Hard Drive Video Recorder, 1RU rack mountable</b> HD/SD-SDI, time code & Audio Interface, SDI/HDMI outputs. Supports up to 120Mbps HD-SDI I-frame recording, 4:2:2 sampling, record MXF file format. <b>*Comes with 2xHE-1 1TB Media Cartridge.</b> (Each cartridge support 10 to 40 hours HD/SD recording time).	Shipping	<b>11,300</b>
13	<b>1TB MC Media Cartridge</b>	<b>1TB HDD Media Cartridge (1TB HDD + HE-1/HE-3)</b> 1TB USB-HDD w/ HE-1/HE-3 Enclosure for Datavideo DN & HDR series recorder & TVS series	Shipping	<b>850</b>
14	<b>HRS-30</b>	<b>Hand Carry Recorder System with DC/V-Mount battery power input</b> HD/SD-SDI Recorder integrated with 10.1" LCD Panel with V-Mount batter bracket, SDI input, Time code input, SDI/HDMI output with Audio embedded, External sync/genlock, Black burst & Tri-level input & loop thru. Supports up to 125Mbps HD-SDI, 4:2:2 sampling, record MXF OP1A or MOV format. (without SSD/HDD)	Shipping	<b>10,900</b>
15	<b>RMC-400</b>	<b>4 Replay Control Panel</b> Control up to 4x HDR-10 Event/Replay Recorder	Shipping	<b>2,750</b>
16	<b>HDR-10</b>	<b>Event/Replay Recorder</b> HDR-10 only (without SSD & Shuttle SH-1) <i>*to be use with RMC-400</i>	Shipping	<b>7,100</b>
17	<b>HDR-10SH</b>	<b>Event/Replay Recorder w/ Shuttle Xpress</b> HDR-10 + SH-1 Shuttle Xpress (without SSD)	Shipping	<b>8,260</b>
<b>DV-04- LCD DISPLAY / MONITOR</b>				
1	<b>TLM-170P</b>	<b>17.3" Full HD resolution (1920x1080)</b> LCD Monitor with LED Backlight, <b>Desktop type design</b> Supports 3G/HD/SD-SDI, HD/SD-YUV, Y/C, CV, 2-CH HDMI inputs, stereo speakers & audio Interface; SDI Time code & audio level indicator...	Shipping	<b>11,400</b>
2	<b>TLM-170PR</b>	<b>17.3" Full HD resolution (1920x1080)</b> LCD Monitor with LED Backlight, <b>7RU Rack mountable design</b> Supports 3G/HD/SD-SDI, HD/SD-YUV, Y/C, CV, 2-CH HDMI inputs, stereo speakers & audio Interface; SDI Time code & audio level indicator...	Shipping	<b>11,850</b>
3	<b>TLM-170PM</b>	<b>17.3" Full HD resolution (1920x1080)</b> LCD Monitor with LED Backlight, <b>1RU Pull-out design</b> Supports 3G/HD/SD-SDI, HD/SD-YUV, Y/C, CV, 2-CH HDMI inputs, stereo speakers & audio Interface; SDI Time code & audio level indicator...	Shipping	<b>13,650</b>
4	<b>TLM-170L</b>	<b>17.3" HD LCD Monitor with LED Backlight (1920x1080), Desktop type design</b> Supports 3G/HD/SD-SDI, 2-CH HDMI inputs, stereo speakers & audio Interface; SDI Time code & audio level indicator, selectable color temperature, PIP mode, Blue only display...	Shipping	<b>6,000</b>
5	<b>TLM-170LR</b>	<b>17.3" HD LCD Monitor with LED Backlight (1920x1080), 7RU Rack mountable design</b> Supports 3G/HD/SD-SDI, 2-CH HDMI inputs, stereo speakers & audio Interface; SDI Time code & audio level indicator, selectable color temperature, PIP mode, Blue only display...	Shipping	<b>6,500</b>
6	<b>TLM-170LM</b>	<b>17.3" HD LCD Monitor with LED Backlight (1920x1080), 1RU Pull-out design</b> Supports 3G/HD/SD-SDI, 2-CH HDMI inputs, stereo speakers & audio Interface; SDI Time code & audio level indicator, selectable color temperature, PIP mode, Blue only display...	Shipping	<b>8,250</b>
7	<b>TLM-102</b>	<b>Dual 10.1" HD TFT LCD Monitor, 4RU Rackmount design</b> Panel Resolution 1280x800, 3G/HD/SD-SDI & HDMI inputs and loop thru, built-in SDI/HDMI converter, waveform, vectorscope and audio indicator. DC 12V	Shipping	<b>6,880</b>
8	<b>TLM-434H</b>	<b>4x 4.3" HD/SD TFT LCD Monitor, 2RU Rackmountable design</b> Four 4.3" LCD Monitor in one panel (HD/SD, 480 x 270) with Four HD/SD-SDI & loop thru & Four HDMI inputs.	Shipping	<b>14,000</b>
9	<b>TLM-430</b>	<b>4.3" Look Back Monitor</b> 4.3" LCD Monitor with big Tally Lamo, Two CV inputs for return video & camera video.	Shipping	<b>1,700</b>
10	<b>TLM-700K</b>	<b>7" 4K LCD Monitor</b> 7" LCD Panel 1920x1080. 4K HDMI input and output.	Shipping	<b>1,150</b>

No	Product Models	Description	Standard Order Lead Time	SRP (RM)
<b>DV-05- VIRTUAL STUDIO</b>				
1	<b>TVS-2000A</b>	<b>3D Tracking Virtual Studio System (w/o 2x PTC-150 PTZ Tracking Cameras)</b> 3 inputs (2-SDI camera inputs & 1x HDMI AUX input) 3D Tracking Virtual Studio system, built in Video Switcher, DSK for CG overlay, H.264/MPEG-2 Video Recorder & real-time Web Streaming to Adobe Flash encoder, UStream & LiveStream *Comes with 1x HE-1 1TB Media Cartridge & 10 sets of 3D Virtual background	Shipping	<b>82,000</b>
2	<b>TVS-2000A w PTC-150 x2</b>	<b>3D Tracking Virtual Studio System with 2x PTC-150 PTZ Tracking Cameras</b> 3 inputs (2-SDI camera inputs & 1x HDMI AUX input) 3D Tracking Virtual Studio system, built in Video Switcher, DSK for CG overlay, H.264/MPEG-2 Video Recorder & real-time Web Streaming to Adobe Flash encoder, UStream & LiveStream *Comes with 1x HE-1 1TB Media Cartridge & 10 sets of 3D Virtual background	Shipping	<b>109,600</b>
3	<b>TVS-1200A</b>	<b>5-in-1 Trackless Virtual Studio PC System (3 Inputs: 2x SDI camera inputs + 1x HDMI AUX input)</b> 5 in 1: Virtual Studio set, 10-CH Switcher, CG, Recorder & real-time Web Streaming, 2-SDI camera input w Keyer & 1x HDMI AUX w/o Keyer, supports 4 virtual studio angles with 3 different phases (Pant, Tilt, Zoom), Switch between live camera input, virtual cameras, video clips and still images, 2x DSK for animation & CG overlay, built-in CG, H.264 & MPEG 2 recording format, streaming directly to Adobe Flash encoder, UStream & LiveStream. *Comes with 1x HE-1 500GB Media Cartridge & up to 100 sets of Virtual background.	Shipping	<b>53,200</b>
4	<b>TVS-1000A</b>	<b>5-in-1 Trackless Virtual Studio PC System (2 HDMI inputs)</b> 5 in 1: Virtual Studio set, 9-CH Switcher, CG, Recorder & real-time Web Streaming, 1x HDMI camera w keyer & 1x AUX w/o Keyer, supports 4 virtual studio angles with 3 different phases (Pant, Tilt, Zoom), Switch between live camera input, virtual cameras, video clips and still images, 2x DSK for animation & CG overlay, built-in CG, H.264 & MPEG 2 recording format, streaming directly to Adobe Flash encoder, UStream & LiveStream. * Comes with 1x HE-1 500GB Media Cartridge & up to 100 sets of Virtual background	Shipping	<b>40,200</b>
<b>DV-06- VIDEO CONVERTER</b>				
1	<b>DAC-8P</b>	<b>HD/SD-SDI to HDMI Converter (3G/1080P)</b> 3G/HD/SD-SDI Input w/embedded audio to HDMI output Converter.	Shipping	<b>1,560</b>
2	<b>DAC-9P</b>	<b>HDMI to HD/SD-SDI Converter (3G/1080P)</b> 3G/HDMI Input to HD/SD-SDI output w/embedded audio Converter.	Shipping	<b>1,560</b>
3	<b>DAC-45</b>	<b>4K Up/Down/Cross Converter</b> VGA/HDMI/SDI + Ref Input to HDMI/SDI output w/embedded Audio output converter (Unbalanced (RCA) Audio Input).	Shipping	<b>4,560</b>
4	<b>DAC-50S</b>	<b>3G/HD-SDI to Analogue Converter</b> 3G/HD-SDI input to SD-YUV + CV or Y/C + 2x CV outputs w RCA Audio de-embedder output. Down Scaler Converter	Shipping	<b>1,860</b>
5	<b>DAC-60</b>	<b>HD/SD-SDI to VGA Converter (3G/1080P)</b> 3G/HD/SD-SDI input to VGA output Converter (Auto detect)	Shipping	<b>1,860</b>
6	<b>DAC-70</b>	<b>UpDown Cross Converter</b> 3G/HD/SD-SDI/HDMI/VGA input to HDMI/SDI Up/Down Cross Converter to 11 selectable formats.	Shipping	<b>2,660</b>
7	<b>DAC-80</b>	<b>2-CH Audio Noise Isolator</b> Balanced Audio input and output, un-powered.	Shipping	<b>620</b>
8	<b>DAC-90</b>	<b>SDI 4-CH Audio De-Embedder</b> (3G supported up to 1080 50p/59.94p/60p) Selectable 1-4, 5-8, 9-12, 13-16 Audio set, cascade 4 units DAC-90 for 16-CH Audio De-Embedder	Shipping	<b>1,520</b>
9	<b>DAC-91</b>	<b>SDI 2-CH Audio Embedder</b> (3G supported up to 1080 50p/59.94p/60p) RCA & mini-XLR inputs with Mixer, 2x SDI outputs with embedder audio	Shipping	<b>1,920</b>
10	<b>RMK-2</b>	<b>2RU DAC Rack Mount Kit</b> 2RU Rack mount frame with DC connector for up to 8 units Datavideo DAC converters integration (suitable for DAC-70/DAC-60/DAC-50S/DAC-9P/DAC-8P/DAC-80)	Shipping	<b>1,690</b>
<b>DV-07- PC-BASED CG SOFTWARE</b>				
1	<b>CG-500SW</b>	<b>PC-based HD/SD CG Software</b> HD/SD Graphics CG Software (w/o graphics card). *** Software only, Decklink card & PC NOT included ***	Shipping	<b>13,800</b>
2	<b>TC-200 + CG-200</b>	<b>Portable HD/SD CG Solution</b> HD/SD Character Generator Kit with CG-200 Software. *** PC NOT included ***	Shipping	<b>3,860</b>
<b>DV-08- Multi-Camera Control Unit</b>				
1	<b>BC-50</b>	<b>HD Block Camera</b> (3G/HD-SDI w Streaming capabilities) 1/2.7" 2.0M pixels CMOS sensor, 20x optical Zoom, Tally LED design, RS-485 Sony VISCA/Pelco-D/Pelco-C control, support PoE, H.264/H.265/MJPEG, RTMP streaming to Facebook & YouTube.	Shipping	<b>4,600</b>
2	<b>BC-80</b>	<b>HD Block Camera</b> (SDI & HDMI up to 1080p) 1/2.8" 2.0M pixels CMOS sensor, 30x optical Zoom, Tally LED design, RS-422 Sony VISCA control & DVIP control protocol, c/w IR remote. Optional RMC-180 4 camera remote controller.	Shipping	<b>9,200</b>
3	<b>BC-200</b>	<b>4K Block Camera</b> (HDMI 3840x2160 QFHD) 1/2.3" 8.9M pixels Exmor R CMOS sensor, 12x optical Zoom, Tally LED design, RS-422 Sony VISCA control & DVIP control protocol, c/w IR remote. Optional RMC-180 4 camera remote controller.	Shipping	<b>13,150</b>
4	<b>PTC-150</b>	<b>3G/HD/SD SDI, HDMI, CV outputs PTZ Camera</b> 1/2.8" 2.0Mpixels CMOS sensor, 30X optical Zoom, Position coordinates per frame. Tally LED design, RS-422 Sony VISCA control & DVIP control protocol, c/w IR remote	Shipping	<b>13,800</b>
5	<b>PTC-150W</b>	<b>3G/HD/SD SDI, HDMI, CV outputs PTZ Camera (White Color)</b> 1/2.8" 2.0M pixels CMOS sensor, 30X optical Zoom, 50 preset Position, Tally LED design, RS-422 Sony VISCA control & DVIP control protocol, c/w IR remote	6 to 8 weeks	<b>13,800</b>
6	<b>RMC-180</b>	<b>4-CH Camera Control Unit for PTC-150.</b> Calibration of Camera Iris, Focus, white balance, NR and more, 4 preset position for each camera, Thru Cat-5 remote control for up to more than 200 meters.	Shipping	<b>5,050</b>
7	<b>PTC-150T</b>	<b>3G/HD/SD SDI, HDMI, CV outputs PTZ Camera with HDBaseT technology</b> 1/2.8" 2.0Mpixels CMOS sensor, 30X optical Zoom, 50 preset position, Tally LED design, RS-422 Sony VISCA control & DVIP control protocol, c/w IR remote	Shipping	<b>18,900</b>
8	<b>PTC-150TW</b>	<b>3G/HD/SD SDI, HDMI, CV outputs PTZ Camera with HDBaseT technology (White Color)</b> 1/2.8" 2.0Mpixels CMOS sensor, 30X optical Zoom, 50 preset position, Tally LED design, RS-422 Sony VISCA control & DVIP control protocol, c/w IR remote	Shipping	<b>18,900</b>
9	<b>PTC-200</b>	<b>4K UHD PTZ Video Camera (3840x2160 QTHD)</b> 1/2.3" 8.9Mpixels CMOS sensor, 12X optical Zoom, 50 preset position, Tally LED design, RS-422 Sony VISCA control & DVIP control protocol, c/w IR remote. Optional RMC-180 4 camera remote controller.	6 to 8 weeks	<b>17,100</b>
10	<b>NH-100</b>	<b>Nighthawk Camera</b> HD-SDI/HDMI (2x SDI + 1x HDMI out), Ultra Low Light Camera, Micro 4/3" CMOS, 20Megapixels. Mobile App Control. Body only, without lens.	ETA Q4 2018 / Q1 2019	<b>15,000</b>
11	<b>CC-360</b>	<b>360° Camera w/ Streaming Capabilities</b> 4 FullHD Sensors, stream to RSTP or record on MicroSD card	Shipping	<b>2,450</b>
12	<b>WM-1</b>	<b>Wall Mount Bracket for PTZ Camera</b> (Accessories)	Shipping	<b>510</b>
13	<b>HBT-10</b>	<b>HDBase Transmitter Box (for PTC-150)</b> Transmit power, video, control, and tally light over 1x ethernet cable (30W)	Shipping	<b>2,180</b>
14	<b>HBT-11</b>	<b>HDBase Receiver Box (for PTC-150)</b> Receive power, video, control, and tally light over 1x ethernet cable (30W)	Shipping	<b>2,180</b>
15	<b>MCU-100P</b>	<b>Multi-camera Control Unit, Desktop Type</b> 1-4 Panasonic cameras Control kit (c/w 4x AD-1P) - AG-HPX255/300/301/302/304/370/371/372/500/502/600, AJ-PX800G, AJ-HDX900, AJ-HPX2700G/3000/3100	Shipping	<b>11,400</b>
16	<b>MCU-200P</b>	<b>Multi-camera Control Unit, 1RU Rackmountable</b> 1-4 Panasonic cameras Control kit (c/w 4x AD-1P) - AG-HPX255/300/301/302/304/370/371/372/500/502/600, AJ-PX800G, AJ-HDX900, AJ-HPX2700G/3000/3100	Shipping	<b>11,400</b>
17	<b>MCU-100S</b>	<b>Multi-camera Control Unit, Desktop Type</b> 1-4 Multi-camera Control Unit (c/w 4x AD-1S) for Sony EX3, PMW 300/300K/320/350K/400/400K/510, PMW-F5, PDW-F55, HDW-F900R	Shipping	<b>11,400</b>
18	<b>MCU-200S</b>	<b>Multi-camera Control Unit, 1RU Rackmountable</b> 1-4 Multi-camera Control Unit (c/w 4x AD-1S) for Sony EX3, PMW 300/300K/320/350K/400/400K/510, PMW-F5, PDW-F55, HDW-F900R	Shipping	<b>11,400</b>

No	Product Models	Description	Standard Order Lead Time	SRP (RM)
<b>DV-08- Multi-Camera Control Unit</b>				
19	<b>CB-30</b>	<b>MCU Four In One Cable, 30m</b> 30m MCU-100 Four-In-One cable (HD/SD-SDI/CV/ITC/Cat-5), L:30M, single section	6 to 8 weeks	<b>1,800</b>
20	<b>CB-31</b>	<b>MCU Four In One Cable, 50m</b> 50m MCU-100 Four-In-One cable (HD/SD-SDI/CV/ITC/Cat-5), L:50M, single section	6 to 8 weeks	<b>2,680</b>
21	<b>CCU-100P / CCU-100S</b>	<b>Camera Control Unit</b> (MU + 4x AD-2P + 4x RMC-240 + 4x HP-3, w/o CCU cable) - Panasonic *Powered by PD-6 <b>Camera Control Unit</b> (MU + 4x AD-2S + 4x RMC-240 + HP-3, w/o CCU cable) - Sony *Powered by PD-6	Shipping	<b>28,000</b>
22	<b>SLD-1</b>	Camera Sled for CCU-100's AD-2	6 to 8 weeks	<b>2,000</b>
23	<b>SLD-DCOUT</b>	DC Out Module for SLD-1	6 to 8 weeks	<b>490</b>
24	<b>CR-44</b>	All in One Cable for CCU (HD/SD-SDI/CV/ITC/CAT-5/DC power), L: 50m (c/w reel)	6 to 8 weeks	<b>6,140</b>
25	<b>CR-49</b>	All in One Cable for CCU (HD/SD-SDI/CV/ITC/CAT-5/DC power), L: 100m (c/w reel)	6 to 8 weeks	<b>9,000</b>
<b>DV-09- INTERCOM / TALK-BACK</b>				
1	<b>ITC-100</b>	<b>8-way Intercom</b> /communication set with tally light (package c/w: 1x LP-1, 1x MC-2, 4x of ITC-100SL)	Shipping	<b>5,860</b>
2	<b>ITC-100SL</b>	<b>Beltpack/Slave unit</b> for ITC-100 with carrying bag (includes CB-3 20m ITC/Tally cable, MC-1, TD & 1.2m Tally cable/One each)	Shipping	<b>1,100</b>
3	<b>HP-1</b>	<b>Monaural Headset</b> Professional Monaural Headset/Microphone for ITC-100 (one ear) - 3.5mm plug	Shipping	<b>390</b>
4	<b>HP-2A</b>	<b>Binaural Headset</b> Professional Binaural Headset/Microphone for ITC-100 (two ear) - 3.5mm plug.	Shipping	<b>580</b>
5	<b>CB-3</b>	<b>20m Intercom/Tally Cable</b> (5 pin XLR) for ITC-100.	Shipping	<b>280</b>
6	<b>CB-4</b>	<b>50m Intercom/Tally Cable</b> (5 pin XLR) for ITC-100.	Shipping	<b>640</b>
<b>DV-11- POWER DISTRIBUTION</b>				
1	<b>PD-2A</b>	<b>Power Distribution unit</b> , 1RU Rackmountable 400 Watts w/8-CH 4-Pin XLR Out 12V/3A, 5A, 10A.	Shipping	<b>5,500</b>
2	<b>PD-4A</b>	<b>Redundant Power Distribution unit</b> , 1RU Rackmountable 360 Watts. 5x DC12V / 5A x3 + 10A x2 output.	Shipping	<b>8,700</b>
3	<b>PD-6</b>	<b>8-CH Camera Power Distribution unit</b> , 1RU Rackmountable 360watts. Selectable DC 12/14.4/24/48V output.	Shipping	<b>8,150</b>
4	<b>DDC-4012H</b>	<b>DC to DC Converter</b> , In-Line XLR DC to DC Converter. Selectable 7.2V and 12V output (Work with PD-6)	Shipping	<b>980</b>
<b>DV-12- DISTRIBUTION AMPLIFIER</b>				
1	<b>VP-840</b>	<b>1 to 4 4K / 3G / HD / SD HDMI Distributor Amplifier</b>	Shipping	<b>1,100</b>
2	<b>VP-781</b>	<b>HD/SD-SDI and Intercom Repeater</b> (for CB-46, CB-47 & CB-48)	Shipping	<b>1,600</b>
3	<b>VP-737</b>	<b>200m CV over CAT-5e/CAT-6 Transceiver</b> c/w Transmitter (powered) and Receiver (unpowered) pair units	Shipping	<b>730</b>
4	<b>VP-634</b>	<b>100m SDI Repeater (UnPowered)</b> 100m 3G/HD/SD-SDI Repeater, un-powered for cascading up to 400m.	Shipping	<b>1,480</b>
5	<b>VP-633</b>	<b>100m SDI Repeater (Powered)</b> 100m 3G/HD/SD-SDI Repeater with DC input and adaptor.	Shipping	<b>1,630</b>
6	<b>VP-605H</b>	<b>All In One Extender</b> Four In One Cable Extender for Datavideo CB-22H/CB-23H/CB-30/CB-31/CB-38) ---- SDI/CV/ITC/DC Power.	Shipping	<b>2,100</b>
7	<b>VP-597</b>	<b>2 to 6 3G/HD/SD-SDI Distribution Amplifier</b> 2 input to 6 output 3G/HD/SD-SDI Distribution Amplifier w/embedded Audio and re-clock.	Shipping	<b>1,630</b>
<b>DV-13- DV Prompter Kit</b>				
1	<b>TP-300-BT</b>	<b>Datavideo Tablet Teleprompter kit</b> (w Bluetooth Remote Control) for Apple devices & most Android Tablets (7" to 10"), comes with mounting kit.	Shipping	<b>3,500</b>
2	<b>TP-500-BTHC</b>	<b>Datavideo DSLR Teleprompter kit</b> (w Bluetooth Remote Control & Carrying Case) for DSLR Camera application, comes with mounting kit, Bluetooth Remote Control & Carrying Case.	Shipping	<b>4,380</b>
3	<b>TP-650-BTHC</b>	<b>Datavideo ENG Teleprompter kit</b> (w Bluetooth Remote Control & Carrying Case) for ENG Camera application, comes with mounting kit, Bluetooth Remote Control & Carrying Case.	Shipping	<b>5,250</b>
4	<b>WR-500</b>	<b>Universal Bluetooth Remote Controller for Datavideo Teleprompter</b> (rechargeable) for Datavideo TelePrompter Kits, supplied with USB charging cable	Shipping	<b>950</b>
5	<b>DVP-100</b>	<b>DV Prompter Pro Server</b> Control Multiple prompters from one controller in perfect sync, Remote control & script management over IP (WiFi/+Ethernet), Built-in dual band WiFi, Scripts are stored on the DV Prompter server internal storage	Shipping	<b>2,800</b>
<b>DV-14- AUDIO RELATED DEVICE</b>				
1	<b>AD-200</b>	<b>6-CH Audio Delay Box</b> , Mixer with Level Adjustment 4-CH Balanced input, 2-CH AUX selectable of MIC/Line input Audio Delay Box up to 3 secs audio delay calibration, audio mixer and matrix router to 4-CH audio outputs.	Shipping	<b>5,300</b>
2	<b>AD-100M</b>	<b>Audio Delay Box</b> Balanced/Unbalanced input Audio Delay Box for up to 700ms (about 17 frames) audio delay calibration, Volume attenuating 0 ~ 60dB	Shipping	<b>2,750</b>
3	<b>AM-100</b>	<b>5-CH Audio Mixer</b> , 1RU rack mountable Stereo or mono modes selectable between 4-CH for microphone or line input, the 5th channel for a secondary AUX XLR input ports	Shipping	<b>3,570</b>
4	<b>BAC-03</b>	<b>Balanced / Unbalanced Audio Converter</b> Bi-Directional Balanced (XLR) / Unbalanced (RCA) Audio Converter	Shipping	<b>1,370</b>
<b>DV-15- ALL IN ONE CABLES</b>				
1	<b>CB-22H</b>	<b>Four In One Cable, 30m.</b> 30m Four-In-One Cable (HD/SD-SDI/CV/ITC/DC power), L: 30M. (work with PD-6)	6 to 8 weeks	<b>1,600</b>
2	<b>CB-23H</b>	<b>Four In One Cable, 50m.</b> 50m Four-In-One Cable (HD/SD-SDI/CV/ITC/DC power), L: 50M. (Work with PD-6)	6 to 8 weeks	<b>2,330</b>
3	<b>CB-46</b>	Two in One Cable (SDI+Intercom), L: 30m	6 to 8 weeks	<b>1,190</b>
4	<b>CB-47</b>	Two in One Cable (SDI+Intercom), L: 50m	6 to 8 weeks	<b>1,830</b>
5	<b>CB-60</b>	<b>HDMI Active Optical Cable, L: 30m.</b> Transmit 4K@60HZ UHD image up to 100m. EMI/EMC compliant.	6 to 8 weeks	<b>2,200</b>
6	<b>CB-61</b>	<b>HDMI Active Optical Cable, L: 50m.</b> Transmit 4K@60HZ UHD image up to 100m. EMI/EMC compliant.	6 to 8 weeks	<b>2,840</b>
7	<b>CB-62</b>	<b>HDMI Active Optical Cable, L: 100m.</b> Transmit 4K@60HZ UHD image up to 100m. EMI/EMC compliant.	6 to 8 weeks	<b>4,200</b>